



WESTERN CARTRIDGE Co.

SUPER-X .22 BOXES

1931-1960

CHECKLIST

2014 REMAKE

Roger E. Huegel, Layout and Publication
Dave Clemence, Collections and Reference

SECTION I

SHORTS

1. SHORT
2. SHORT HOLLOW POINT



SHORT



S-1



SUPER-X Long Range Cartridges
Double Action Smokeless Powder—Luballoy coated bullets—Non-corrosive priming—will not rust or foul the bore of the gun. Adapted to all standard rifles having standard chambers and bore dimensions of the .22 Short cartridge.

SUPER-X Long Range Cartridges
Super-X cartridges have greatly increased range and killing power and maximum accuracy. Because of their high velocity, flat trajectory and short time of flight they require less sight adjustment.

S-2



SUPER-X Long Range Cartridges
Double Action Smokeless Powder—Luballoy coated bullets—Non-corrosive priming—will not rust or foul the bore of the gun. Adapted to all standard rifles having standard chambers and bore dimensions of the .22 Short cartridge.

SUPER-X Long Range Cartridges
Super-X cartridges have greatly increased range and killing power and maximum accuracy. Because of their high velocity, flat trajectory and short time of flight they require less sight adjustment.

S-3



Double Action Smokeless Powder
Luballoy coated bullets—Non-corrosive priming—will not rust or foul the bore of the gun. Adapted to all standard rifles having standard chambers and bore dimensions of the .22 Short cartridge.

SUPER-X Long Range Cartridges
Super-X cartridges have greatly increased range and killing power and maximum accuracy. Because of their high velocity, flat trajectory and short time of flight they require less sight adjustment.



SHORT



S-4



S-4A



S-5





SHORT




Number stamped on top in black

S-6



S-7





SHORT



S-8



K1208R

S-9



K1208R



SHORT



Double Action Smokeless Powder
 Bullets coated with Luballoy and Western invisible hard wax lubricant. Non-corrosive priming. Adapted to all standard rifles having standard chambers and bore dimensions of the .22 Short cartridge. K1208R

SUPER-X Long Range Cartridges
 Super-X cartridges have greatly increased range and killing power and maximum accuracy. Because of their high velocity, flat trajectory and short time of flight they require less sight adjustment.



Double Action Smokeless Powder
 Bullets coated with Luballoy and Western invisible hard wax lubricant. Non-corrosive priming. Adapted to arms having standard chambers and bore dimensions suitable for the .22 Short cartridge loaded to increased pressure and velocity. K1208R

SUPER-X Long Range Cartridges
 These cartridges are loaded to increased velocity and pressure. They should be used only in arms in good condition designed for cartridges with such increased pressure and velocity.

S-10



K1208R

S-11



K1208R


S-11a



K1208R



SHORT



Double Action Smokeless Powder

Bullets coated with Luballoy and Western invisible hard wax lubricant. Non-corrosive priming. Adapted to arms having standard chambers and bore dimensions suitable for the .22 Short cartridge loaded to increased pressure and velocity. K1208R

SUPER-X Long Range Cartridges

These cartridges are loaded to increased velocity and pressure. They should be used only in arms in good condition designed for cartridges with such increased pressure and velocity.



Double Action Smokeless Powder

Bullets plated with Luballoy (lubricating alloy) by a patented process. Non-corrosive priming. Reasonable care in the manufacture of these cartridges is guaranteed but no further responsibility is assumed. K1208R

SUPER-X Long Range Cartridges

These cartridges are loaded to increased velocity and pressure. They should be used only in arms in good condition designed for cartridges with such increased pressure and velocity.



Double Action Smokeless Powder

Double Action Smokeless Powder Bullets plated with Luballoy (lubricating alloy) by a patented process. Non-corrosive priming. Reasonable care in the manufacture of these cartridges is guaranteed, but no further responsibility is assumed. K1208R

SUPER-X Long Range Cartridges

These cartridges are loaded to increased velocity and pressure. They should be used only in arms in good condition designed for cartridges with such increased pressure and velocity.

S-12



K1208R

S-13



K1208R


S-14



K1208R



SHORT



Double Action Smokeless Powder
 Bullets plated with Luballoy (lubricating alloy) by a patented process. Non-corrosive priming. Reasonable care in the manufacture of these cartridges is guaranteed, but no further responsibility is assumed.
 K1208R

SUPER-X Long Range Cartridges
 These cartridges are loaded to increased velocity and pressure. They should be used only in arms in good condition designed for cartridges with such increased pressure and velocity.



Double Action Smokeless Powder
 Bullets plated with Luballoy (lubricating alloy) by a patented process. Non-corrosive priming. Reasonable care in the manufacture of these cartridges is guaranteed, but no further responsibility is assumed.
 K1208R

SUPER-X Long Range Cartridges
 These cartridges are loaded to increased velocity and pressure. They should be used only in arms in good condition designed for cartridges with such increased pressure and velocity.



Double Action Smokeless Powder
 Bullets plated with Luballoy (lubricating alloy) by a patented process. Non-corrosive priming. Reasonable care in the manufacture of these cartridges is guaranteed, but no further responsibility is assumed.
 K1208R

SUPER-X Long Range Cartridges
 These cartridges are loaded to increased velocity and pressure. They should be used only in arms in good condition designed for cartridges with such increased pressure and velocity.

S-15



K1208R

S-16



K1208R

S-17



K1208R



SHORT



Double Action Smokeless Powder
 Bullets plated with Luballoy (lubricating alloy) by a patented process. Non-corrosive priming. Reasonable care in the manufacture of these cartridges is guaranteed, but no further responsibility is assumed.
 K1208R

SUPER-X Long Range Cartridges
 These cartridges are loaded to increased velocity and pressure. They should be used only in arms in good condition designed for cartridges with such increased pressure and velocity.

S-18



K1208R



SHORT



S-19



K1256R

S-20



K1256R



SHORT



Stamped
LUBRICATED
on top



S-21



S-21a



K1208R



Stamped
LUBRICATED
& K1208R
on top





SHORT




Stamped
K1256R
&
LUBRICATED
on top

S-21-1



K1256R





SHORT



Stamped
LUBRICATED
On top
K1256R stamped
on front



S-22



K1208R

K1256R

S-23



K1256R





SHORT



Double Action Smokeless Powder
 Bullets plated with Luballoy (lubricating alloy) by a patented process. Non-corrosive priming. Reasonable care in the manufacture of these cartridges is guaranteed, but no further responsibility is assumed.
 K1208R

SUPER-X Long Range Cartridges
 These cartridges are loaded to increased velocity and pressure. They should be used only in arms in good condition designed for cartridges with such increased pressure and velocity.



Double Action Smokeless Powder
 Bullets plated with Luballoy by a patented process. Non-corrosive priming. Reasonable care in the manufacture of these cartridges is guaranteed, but no further responsibility is assumed.
 K1208R

SUPER-X Long Range Cartridges
 These cartridges are loaded to increased velocity and pressure. They should be used only in arms in good condition designed for cartridges with such increased pressure and velocity.



Double Action Smokeless Powder
 Luballoy bullets are plated by a patented process. Non-corrosive priming. Reasonable care in the manufacture of these cartridges is guaranteed, but no further responsibility is assumed.
 K1208R

SUPER-X Long Range Cartridges
 These cartridges are loaded to increased velocity and pressure. They should be used only in arms in good condition designed for cartridges with such increased pressure and velocity.

S-24



K1208R

S-25



K1208R


S-26



K1208R



SHORT



S-27



K1208R

S-27(a)



K1208R



Larger print and logo on end flap than S-27 box.



S-28



K1208R



Note difference in length of top and bottom lines on back compared to S-27 box.



SHORT



Double Action Smokeless Powder
 Lubaloy bullets are plated by a patented process. Non-corrosive priming. Reasonable care in the manufacture of these cartridges is guaranteed, but no further responsibility is assumed. K1208R

SUPER-X Long Range Cartridges
 These cartridges are loaded to increased velocity and pressure. They should be used only in arms in good condition designed for cartridges with such increased pressure and velocity.

S-29



K1208R

S-30



K1208R



Stamped FOR DISPLAY PURPOSES ONLY.- NOT FOR PACKING

Double Action Smokeless Powder
 Lubaloy bullets are plated by a patented process. Non-corrosive priming. Reasonable care in the manufacture of these cartridges is guaranteed, but no further responsibility is assumed. K1208R

SUPER-X Long Range Cartridges
 These cartridges are loaded to increased velocity and pressure. They should be used only in arms in good condition designed for cartridges with such increased pressure and velocity.

S-31



SX22S



Double Action Smokeless Powder
 Lubaloy bullets are plated by a patented process. Non-corrosive priming. Reasonable care in the manufacture of these cartridges is guaranteed, but no further responsibility is assumed. SX22S

SUPER-X Long Range Cartridges
 These cartridges are loaded to increased velocity and pressure. They should be used only in arms in good condition designed for cartridges with such increased pressure and velocity.



SHORT



Note difference in length of top and bottom lines on back compared to S-31 box.



Same as S-33 but stamped "FOR DISPLAY PURPOSES ONLY.- NOT FOR PACKING." (in red ink)

S-32



SX22S

S-33



SX22S

S-34



SX22S



SHORT



Double Action Smokeless Powder
Lubaloy bullets are plated by a patented process. Non-corrosive priming. Reasonable care in the manufacture of these cartridges is guaranteed, but no further responsibility is assumed.

SUPER-X Long Range Cartridges
These cartridges are loaded to increased velocity and pressure. They should be used only in arms in good condition designed for cartridges with such increased pressure and velocity.

S-35



SX22S

S-36



SX22S



Double Action Smokeless Powder
Lubaloy bullets are plated by a patented process. Non-corrosive priming. Reasonable care in the manufacture of these cartridges is guaranteed, but no further responsibility is assumed.

SUPER-X Long Range Cartridges
These cartridges are loaded to increased velocity and pressure. They should be used only in arms in good condition designed for cartridges with such increased pressure and velocity.

S-36(a)



SX22S



Double Action Smokeless Powder
Lubaloy bullets are plated by a patented process. Non-corrosive priming. Reasonable care in the manufacture of these cartridges is guaranteed, but no further responsibility is assumed.

SUPER-X Long Range Cartridges
These cartridges are loaded to increased velocity and pressure. They should be used only in arms in good condition designed for cartridges with such increased pressure and velocity.



SHORT

S-37



SX22S



Double Action Smokeless Powder
 Non-corrosive priming. Reasonable care in the manufacture of these cartridges is guaranteed, but no further responsibility is assumed.

SUPER-X Long Range Cartridges
 These cartridges are loaded to increased velocity and pressure. They should be used only in arms in good condition designed for cartridges with such increased pressure and velocity.



SHORT HOLLOW POINT




SHP-1



SHP-2



SHP-3





SHORT HOLLOW POINT



SHP-4



SHP-4a





SHORT HOLLOW POINT



SHP-5



K1209R



SHP-6



K1209R





SHORT HOLLOW POINT



SHP-7




K1209R



SHP-8



K1209R



SHP-9



K1209R





SHORT HOLLOW POINT



SHP-10





K1209R

SHP-11



K1209R



SHP-12



K1209R





SHORT HOLLOW POINT

SHP-13



K1209R



SHP-14



K1209R





SHORT HOLLOW POINT



Stamped new number

Stamped "LUBRICATED"



Number Blacked over



SHP-15



K1209R

K1259R



SHORT HOLLOW POINT



Stamped
LUBRICATED



old number
blacked out



New number stamped



SHP-16



K1209R

K1259R

SHP-17



K1209R




SHORT HOLLOW POINT

SHP-18




K1209R



SHP-19





K1209R



SHP-20



K1209R






SHORT HOLLOW POINT



Bottom stamped "FOR DISPLAY PURPOSES ONLY. NOT FOR PACKING" in red ink


SHP-21



SHP-22



SHP-22a



K1209R

K1209R

K1209R





SHORT HOLLOW POINT



SHP-22b




K1209R



SHP-23





SX22SH



SHP-24



SX22SH





SHORT HOLLOW POINT



Double Action Smokeless Powder

Lubaloy hollow point bullets are plated by a patented process. Non-corrosive priming. Reasonable care in the manufacture of these cartridges is guaranteed, but no further responsibility is assumed.

SUPER-X Long Range Cartridges

These cartridges are loaded to increased velocity and pressure. They should be used only in arms in good condition designed for cartridges with such increased pressure and velocity.

SHP-24a



SX22SH



Double Action Smokeless Powder

Lubaloy hollow point bullets are plated by a patented process. Non-corrosive priming. Reasonable care in the manufacture of these cartridges is guaranteed, but no further responsibility is assumed.

SUPER-X Long Range Cartridges

These cartridges are loaded to increased velocity and pressure. They should be used only in arms in good condition designed for cartridges with such increased pressure and velocity.

SHP-25



SX22SH



Double Action Smokeless Powder

Non-corrosive priming. Reasonable care in the manufacture of these cartridges is guaranteed, but no further responsibility is assumed.

SUPER-X Long Range Cartridges

These cartridges are loaded to increased velocity and pressure. They should be used only in arms in good condition designed for cartridges with such increased pressure and velocity.

SHP-26



SX22SH